



ALPINE C11 Ready Mix -36°C (green)						
Revision date: 10.03.2022		Page 1 of 13				
SECTION 1: Identification of the	e substance/mixture and of the company/	undertaking				
<u>1.1. Product identifier</u> ALPINE C11 Ready Mix -3	l6°C (green)					
1.2. Relevant identified uses of the	substance or mixture and uses advised agai	nst				
Use of the substance/mixture engine coolant						
Uses advised against No information available.						
1.3. Details of the supplier of the sa	afety data sheet					
Company name:	Mitan Mineralöl GmbH					
Street:	Industriestraße 8					
Place:	D-49577 Ankum					
Telephone:	+49 (0)5462/7470-50	Telefax: +49 (0)5462/7470-33				
e-mail: Internet:	info@mitan-oil.de www.mitan-oil.de					
Responsible Department:	www.mitan-oii.de Produktsicherheit / Product Safety					
Responsible Department.	sicherheitsdatenblatt@mitan-oil.de					
1.4. Emergency telephone	Giftinformationszentrum Nord (Göttingen)					
number:	+49 (0)551/19240					

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Acute Tox. 4; H302 STOT RE 2; H373

Full text of hazard statements: see SECTION 16.

2.2. Label elements

GB CLP Regulation

Hazard components for labelling

Ethane-1,2-diol

Signal word:

Pictograms:



Hazard statements

H302	
H373	

Harmful if swallowed. May cause damage to organs through prolonged or repeated exposure.

Precautionary statements

 ouddional y oldloinion	
P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P264	Wash hands thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P301+P312	IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.





ALPINE C11 Ready Mix -36°C (green)

Revision date: 10.03.2022

Page 2 of 13

Rinse mouth.

Dispose of contents / container in accordance with official regulations.

P501 2.3. Other hazards

P330

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name					
	EC No	EC No Index No REACH No				
	GHS Classification					
107-21-1	Ethane-1,2-diol					
	203-473-3	603-027-00-1	01-2119456816-28			
	Acute Tox. 4, STOT RE 2; H302	H373				
1332-77-0	Dipotassium tetraborate			< 1 %		
	215-575-5		01-2119970730-37			
	Repr. 2; H361d					

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity			
	Specific Conc.	ific Conc. Limits, M-factors and ATE				
107-21-1	203-473-3 Ethane-1,2-diol					
	dermal: LD50 = > 3500 mg/kg; oral: LD50 = 7712 mg/kg					
1332-77-0	-0 215-575-5 Dipotassium tetraborate					
	inhalation: LC50 = > 2,04 mg/l (dusts or mists); dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 2500 mg/kg Repr. 2; H361d: >= 5,2 - 100					

Further Information

This mixture contains no substances of very high concern (SVHC) which are included in the Candidate List according to Article 59 of REACH.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Take off contaminated clothing and wash it before reuse. In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After inhalation

Remove person to fresh air and keep comfortable for breathing. In all cases of doubt, or when symptoms persist, seek medical advice.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. In case of skin irritation, consult a physician.

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an





ALPINE C11 Ready Mix -36°C (green)

Revision date: 10.03.2022

Page 3 of 13

ophthalmologist immediately.

Remove contact lenses, if present and easy to do. Continue rinsing.

After ingestion

Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Do NOT induce vomiting. When in doubt or if symptoms are observed, get medical advice.

4.2. Most important symptoms and effects, both acute and delayed

May cause respiratory irritation. The following symptoms may occur: Cough, Dizziness, Headache

May be absorbed through the skin. Repeated exposure may cause skin dryness or cracking. Causes serious eye irritation. The following symptoms may occur: erythema (redness) Harmful if swallowed. The following symptoms may occur: Vomiting, Unconsciousness, Nausea

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Use water spray jet to protect personnel and to cool endangered containers.

Co-ordinate fire-fighting measures to the fire surroundings.

- alcohol resistant foam
- Extinguishing powder
- Carbon dioxide (CO2)
- Water mist

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Non-flammable. Formation of toxic gases is possible during heating or in case of fire.

In case of fire may be liberated:

- Carbon monoxide (CO)
- Carbon dioxide (CO2).
- Pyrolysis products, toxic

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Suppress gases/vapours/mists with water spray jet.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Dispose of waste according to applicable legislation.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.





Page 4 of 13

Safety Data Sheet

ALPINE C11 Ready Mix -36°C (green)

Revision date: 10.03.2022

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

6.3. Methods and material for containment and cleaning up

For containment

Stop leak if safe to do so.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up

Collect in closed and suitable containers for disposal. Treat the recovered material as prescribed in the section on waste disposal. Clean contaminated articles and floor according to the environmental legislation.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Always close containers tightly after the removal of product. Do not put any product-impregnated cleaning rags into your trouser pockets. Clear spills immediately. Use only in well-ventilated areas.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed and in a well-ventilated place. Keep only in the original container. Store in a cool dry place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints on joint storage

Do not store together with:

- Materials capable of ignition under almost all normal temperature conditions
- Explosives

7.3. Specific end use(s)

engine coolant

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
107-21-1	Ethane-1,2-diol, vapour	20	52		TWA (8 h)	WEL
		40	104		STEL (15 min)	WEL





ALPINE C11 Ready Mix -36°C (green)

Page 5 of 13

Revision date: 10.03.2022

DNEL/DMEL values

CAS No	Substance						
DNEL type		Exposure route	Effect	Value			
107-21-1	Ethane-1,2-diol		· ·				
Worker DNEL	_, long-term	inhalation	local	35 mg/m³			
Worker DNEL	_, long-term	dermal	systemic	106 mg/kg bw/day			
Consumer DI	NEL, long-term	inhalation	local	7 mg/m³			
Consumer DI	NEL, long-term	dermal	systemic	53 mg/kg bw/day			
1332-77-0	Dipotassium tetraborate						
Consumer DI	NEL, long-term	inhalation	systemic	3,9 mg/m³			
Worker DNEL	_, long-term	dermal	systemic	367,7 mg/kg bw/day			
Worker DNEL	_, long-term	inhalation	systemic	7,8 mg/m³			
Worker DNEL	_, acute	inhalation	systemic	7,8 mg/m³			
Worker DNEL	_, long-term	inhalation	local	13,6 mg/m ³			
Worker DNEL	_, acute	inhalation	local	13,6 mg/m ³			
Consumer DI	NEL, acute	inhalation	systemic	3,9 mg/m³			
Consumer DI	NEL, long-term	inhalation	local	13,6 mg/m ³			
Consumer DI	NEL, acute	inhalation	local	13,6 mg/m ³			
Consumer D	NEL, long-term	dermal	systemic	185,6 mg/kg bw/day			
Consumer DI	NEL, long-term	oral	systemic	0,92 mg/kg bw/day			
Consumer DI	NEL, acute	oral	systemic	0,92 mg/kg bw/day			





Page 6 of 13

Safety Data Sheet

ALPINE C11 Ready Mix -36°C (green)

Revision date: 10.03.2022

PNEC values CAS No Substance Environmental compartment Value 107-21-1 Ethane-1,2-diol Freshwater 10 mg/l Freshwater (intermittent releases) 10 mg/l Marine water 1 mg/l Freshwater sediment 37 mg/kg Marine sediment 3,7 mg/kg Micro-organisms in sewage treatment plants (STP) 199.5 ma/l Soil 1,53 mg/kg 1332-77-0 Dipotassium tetraborate Freshwater 2,02 mg/l Freshwater (intermittent releases) 13,7 mg/l Marine water 2,02 mg/l Micro-organisms in sewage treatment plants (STP) 10 mg/l Soil 5,4 mg/kg

8.2. Exposure controls



Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations.

Protective and hygiene measures

Take off contaminated clothing and wash it before reuse. Wash hands and face before breaks and after work and take a shower if necessary.

When using do not eat, drink, smoke, sniff. Keep away from food, drink and animal feedingstuffs.

Eye/face protection

During filling, metering, mixing and sampling must be used:

Wear eye/face protection. EN 166

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

Recommended glove articles: EN ISO 374

Suitable material: NBR (Nitrile rubber)

Thickness of the glove material: 0,4 mm

Breakthrough times and swelling properties of the material must be taken into consideration. Breakthrough time: > 8h

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Wear suitable protective clothing. EN 14605



Revision date: 10.03.2022

Respiratory protection

In case of inadequate ventilation wear respiratory protection.



Page 7 of 13

Safety Data Sheet

ALPINE C11 Ready Mix -36°C (green)

- Half-face mask (EN 140)		
- Filter type: A/P (EN 141)		
	he maximum contaminant concentration (gas/vapour/a oduct. If the concentration is exceeded, self-contained	
must be used. (EN 137)		eren in Gabbarara
SECTION 9: Physical and chemical pr	operties	
9.1. Information on basic physical and cho	amical properties	
Physical state:	Liquid	
Colour:	grün	
Odour:	characteristic	
Odour threshold:	not determined	
pH-Value (at 20 °C):	7,5 - 9,0	
Changes in the physical state		
Melting point/freezing point:	< -36 °C	
Boiling point or initial boiling point and boiling range:	not determined	
Flash point:	> 111 °C	
Flammability		
Solid/liquid:	not applicable	
Gas:	not applicable	
Explosive properties The product is not: Explosive.		
Lower explosion limits:	not determined	
Upper explosion limits:	not determined	
Auto-ignition temperature:	>400 °C	
Decomposition temperature:	not determined	
Oxidizing properties The product is not: oxidising.		
Vapour pressure:	not determined	
Density (at 20 °C):	1,068 g/cm³	
Water solubility:	easily soluble	
Solubility in other solvents not determined		
Partition coefficient n-octanol/water:	not determined	
Viscosity / dynamic:	not determined	
Viscosity / kinematic:	not determined	
Relative vapour density:	not determined	
Evaporation rate:	not determined	
9.2. Other information		





Page 8 of 13

Safety Data Sheet

ALPINE C11 Ready Mix -36°C (green)

Revision date: 10.03.2022

Solid content:

not determined

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Reacts with : Oxidizing agent, Acids

10.4. Conditions to avoid

Avoid: Thermal decomposition Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Safe handling: see section 7

10.5. Incompatible materials

- Materials to avoid:
 - Oxidising agent
 - Strong acid, alkalines

10.6. Hazardous decomposition products

- Hazardous combustion products:
 - Carbon monoxide (CO)
 - Carbon dioxide (CO2).
 - Pyrolysis products, toxic

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Acute toxicity

Harmful if swallowed.

ATEmix calculated

ATE (oral) 1033,1 mg/kg

CAS No	Chemical name								
	Exposure route	Dose		Species	Source	Method			
107-21-1	Ethane-1,2-diol								
	oral	LD50 mg/kg	7712	Rat	Study report (1968)	according to BASF-internal standards			
	dermal	LD50 mg/kg	> 3500	Mouse	Fundamental and Applied Toxicology 27: 1	LD50 derived from developmental toxicity			
1332-77-0	Dipotassium tetraborate								
	oral	LD50 mg/kg	> 2500	Rat	Study report (1996)	OECD Guideline 401			
	dermal	LD50 mg/kg	> 2000	Rabbit	Study report (1985)	other: This study was carried out to com			
	inhalation (4 h) dust/mist	LC50 mg/l	> 2,04	Rat	Study report (1994)	OECD Guideline 403			





Page 9 of 13

Safety Data Sheet

ALPINE C11 Ready Mix -36°C (green)

Revision date: 10.03.2022

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

May cause damage to organs through prolonged or repeated exposure. (Ethane-1,2-diol)

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties

No information available.

Further information

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

SECTION 12: Ecological information

12.1. Toxicity

The product is not: Ecotoxic.





ALPINE C11 Ready Mix -36°C (green)

Page 10 of 13

Revision date: 10.03.2022

CAS No	Chemical name								
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method		
107-21-1	Ethane-1,2-diol								
	Acute fish toxicity	LC50 mg/l	> 72860	96 h	Pimephales promelas	Environ. Toxicology and Chemistry, Vol.	EPA 600/4-90/027. U.S. Environmental Pro		
	Acute algae toxicity	ErC50 13000 mg/l	6500 -	96 h	Pseudokirchneriella subcapitata	Study report (1982)	other: EPA 600/9-78-018, 1978		
	Acute crustacea toxicity	EC50 mg/l	> 100	48 h	Daphnia magna	Study report (1998)	OECD Guideline 202		
	Fish toxicity	NOEC mg/l	15380	7 d	Pimephales promelas	Environ. Toxicology and Chemistry, Vol.	other: EPA 600/4-89/001. U.S. Environmen		
	Algae toxicity	NOEC mg/l	> 100	8 d	Scenedesmus quadricauda	REACh Registration Dossier	OECD Guideline 201		
	Crustacea toxicity	NOEC 15000 mg/l	7500 -	21 d	Daphnia magna	REACh Registration Dossier	other: ASTM		
1332-77-0	Dipotassium tetraborate			-					
	Acute fish toxicity	LC50	74 mg/l	96 h	Limanda limanda	Publication (1985)	The acute toxicity of boron has been stu		
	Acute algae toxicity	ErC50	66 mg/l	72 h	Phaeodactylum tricornutum	Study report (2011)	ISO 10253		
	Acute crustacea toxicity	EC50	133 mg/l	48 h	Daphnia magna	Environ. Toxicol. Chem., 3, #1, 89-94 (1	other: ASTM Standard E 729-80		
	Fish toxicity	NOEC	5,6 mg/l	34 d	Danio rerio	Study report (2000)	OECD Guideline 210		
	Algae toxicity	NOEC mg/l	>= 100	10 d	Agmenellum quadruplicatum	J. Fish. Res. Board Can., 32, #12, 2487-	Axenic cultures of 19 species were chose		
	Crustacea toxicity	NOEC mg/l	33,1	28 d	Americamysis bahia	Study report (2011)	EPA OPPTS 850.1350		
	Acute bacteria toxicity	(EC50 mg/l)	> 175	3 h	Activated sludge	Study report (2000)	OECD Guideline 209		

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
107-21-1	Ethane-1,2-diol	-1,36





ALPINE C11 Ready Mix -36°C (green)

Revision date: 10.03.2022

Page 11 of 13

BCF

CAS No	Chemical name	BCF	Species	Source
1332-77-0	Dipotassium tetraborate	0,558	Oncorhynchus nerka	Water Research Vol.

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

Contaminated packaging

This material and its container must be disposed of as hazardous waste. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number:

14.2. UN proper shipping name:

14.3. Transport hazard class(es):

14.4. Packing group:

Inland waterways transport (ADN)

14.1. UN number:

14.2. UN proper shipping name:

14.3. Transport hazard class(es):

14.4. Packing group:

Marine transport (IMDG)

14.1. UN number:

14.2. UN proper shipping name:

14.3. Transport hazard class(es):

14.4. Packing group:

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number:

14.2. UN proper shipping name:

14.3. Transport hazard class(es):

No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.





	ALPINE C11 Ready Mix -36°C (green)	
Revision date: 10.03.2022		Page 12 of 13
14.4. Packing group:	No dangerous good in sense of this transport regulation.	
14.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS:	No	
14.6. Special precautions for user		
No dangerous good in sense of this t		
14.7. Maritime transport in bulk according		
No dangerous good in sense of this t		
SECTION 15: Regulatory information		
15.1. Safety, health and environmental reg	ulations/legislation specific for the substance or mixture	
EU regulatory information		
Restrictions on use (REACH, annex XVII):	
Entry 3, Entry 75		
2010/75/EU (VOC):	48,396 % (516,868 g/l)	
2004/42/EC (VOC):	48,396 % (516,868 g/l)	
Information according to 2012/18/EU (SEVESO III):	Not subject to 2012/18/EU (SEVESO III)	
National regulatory information		
Employment restrictions:	Observe restrictions to employment for juveniles according to the work protection guideline' (94/33/EC).	e 'juvenile
Water hazard class (D):	1 - slightly hazardous to water	
15.2. Chemical safety assessment		
Chemical safety assessments for sub	stances in this mixture were not carried out.	
SECTION 16: Other information		
Abbreviations and acronyms		
ADR: Accord européen sur le transpo	ort des marchandises dangereuses par Route	
	International Carriage of Dangerous Goods by Road)	
IMDG: International Maritime Code fo	-	
IATA: International Air Transport Ass	f Classification and Labelling of Chemicals	
	ting Commercial Chemical Substances	
ELINCS: European List of Notified Ch	-	
CAS: Chemical Abstracts Service		
LC50: Lethal concentration, 50%		
LD50: Lethal dose, 50%	les sin s	
CLP: Classification, labelling and Pac REACH: Registration, Evaluation and		
	f Classification, Labelling and Packaging of Chemicals	
UN: United Nations		
DNEL: Derived No Effect Level		
DMEL: Derived Minimal Effect Level		
PNEC: Predicted No Effect Concentr	ation	
ATE: Acute toxicity estimate		
LL50: Lethal loading, 50% EL50: Effect loading, 50%		





ALPINE C11 Ready Mix -36°C (green)			
Revision date: 10.03.2022		Page 13 of 13	
EC50: Effective Concentration	ח 50%		
ErC50: Effective Concentration	n 50%, growth rate		
NOEC: No Observed Effect Concentration			
BCF: Bio-concentration factor			
PBT: persistent, bioaccumulative, toxic			
vPvB: very persistent, very bioaccumulative			
RID: Regulations concerning the international carriage of dangerous goods by rail			
ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways			
(Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)			
EmS: Emergency Schedules			
MFAG: Medical First Aid Guide			
ICAO: International Civil Aviation Organization			
MARPOL: International Convention for the Prevention of Marine Pollution from Ships			
IBC: Intermediate Bulk Container			
VOC: Volatile Organic Compounds			
SVHC: Substance of Very High Concern			
For abbreviations and acronyms, see table at http://abbrev.esdscom.eu			
For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety			
assessment, chapter R.20 (Ta	able of terms and abbreviations).		
Classification for mixtures and us	ed evaluation method according to GB CLP Regulation		
Classification	Classification procedure		
Acute Tox. 4; H302	Calculation method		
STOT RE 2; H373	Calculation method		

Relevant H and EUH statements (number and full text)

H302	Harmful if swallowed.
H361d	Suspected of damaging the unborn child.
H373	May cause damage to organs through prolonged or repeated exposure.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)