



## **ALPINE ATF Dexron II D**

Revision date: 19.10.2023

Page 1 of 10

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

ALPINE ATF Dexron II D

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

#### gear oil

## Uses advised against

No information available.

### 1.3. Details of the supplier of the safety data sheet

Company name:	Mitan Mineralöl GmbH	
Street:	Industriestraße 8	
Place:	D-49577 Ankum	
Telephone:	+49 (0)5462/7470-50	Telefax: +49 (0)5462/7470-33
e-mail:	info@mitan-oil.de	
Internet:	www.mitan-oil.de	
Responsible Department:	Produktsicherheit / Product Safety	
	sicherheitsdatenblatt@mitan-oil.de	
1.4. Emergency telephone number:	Giftinformationszentrum Nord (Göttingen) +49 (0)551/19240	

### **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

### **GB CLP Regulation**

This mixture is not classified as hazardous in accordance with GB CLP Regulation.

### 2.2. Label elements

### Additional advice on labelling

According to EC directives or the corresponding national regulations the product does not have to be labelled.

### 2.3. Other hazards

No information available.

### **SECTION 3: Composition/information on ingredients**

## 3.2. Mixtures

## **Chemical characterization**

Preparation of base oils and additives.





## **ALPINE ATF Dexron II D**

Revision date: 19.10.2023

Page 2 of 10

### Hazardous components

CAS No	Chemical name					
	EC No	Index No	REACH No			
	GHS Classification					
64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified					
	265-157-1	649-467-00-8	01-2119484627-25			
	Asp. Tox. 1; H304					
	methacrylate copolymer	methacrylate copolymer				
	Eye Irrit. 2; H319					

Full text of H and EUH statements: see section 16.

Specific Conc. Limite M factors and ATE

Specific Conc. Limits, M-lactors and ATE				
CAS No	EC No Chemical name			
	Specific Conc. L	imits, M-factors and ATE		
64742-54-7	265-157-1	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified	25 - 50 %	
	inhalation: LC5 5000 mg/kg	0 = 5,53 mg/l (dusts or mists); dermal: LD50 = > 5000 mg/kg; oral: LD50 = >		

## **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

### **General information**

Remove affected person from the danger area and lay down.

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

### After inhalation

Provide fresh air. Call a doctor if you feel unwell.

### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off contaminated clothing and wash it before reuse. In case of skin irritation, consult a physician.

### After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

## After ingestion

Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Do NOT induce vomiting. In all cases of doubt, or when symptoms persist, seek medical advice.

### 4.2. Most important symptoms and effects, both acute and delayed

### No information available.

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures





Page 3 of 10

## Safety Data Sheet

## **ALPINE ATF Dexron II D**

Revision date: 19.10.2023

### 5.1. Extinguishing media

### Suitable extinguishing media

Use water spray jet to protect personnel and to cool endangered containers.

Co-ordinate fire-fighting measures to the fire surroundings.

- Water spray jet
- Foam
- Carbon dioxide (CO2).
- Extinguishing powder

#### Unsuitable extinguishing media

High power water jet.

#### 5.2. Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire. In case of fire may be liberated:

- Nitrogen oxides (NOx)
- Carbon monoxide (CO)
- Carbon dioxide (CO2).
- Pyrolysis products, toxic

#### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Use of protective clothing In case of fire and/or explosion do not breathe fumes.

#### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

### **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

### General advice

Keep people at a distance and stay on the windward side.

Special danger of slipping by leaking/spilling product.

### For non-emergency personnel

Wear protective gloves/protective clothing and eye/face protection.

### 6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Prevent spread over a wide area (e.g. by containment or oil barriers).

### 6.3. Methods and material for containment and cleaning up

#### For containment

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

### For cleaning up

Clean contaminated articles and floor according to the environmental legislation. Remove from the water surface (e.g. skimming, sucking).

### 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

### **SECTION 7: Handling and storage**





## ALPINE ATF Dexron II D

Revision date: 19.10.2023

### 7.1. Precautions for safe handling

### Advice on safe handling

Avoid formation of oil dust. Use personal protection equipment. Do not put any product-impregnated cleaning rags into your trouser pockets. Clear spills immediately.

#### Advice on protection against fire and explosion

No special fire protection measures are necessary. Take precautionary measures against static discharges. Keep away from sources of ignition - No smoking.

### 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Keep only in the original container in a cool, well-ventilated place. Keep container tightly closed. Floors should be impervious, resistant to liquids and easy to clean.

#### Hints on joint storage

No special measures are necessary.

### Further information on storage conditions

Note Regulation on facilities for the storage, filling and handling water-polluting substances. ...

#### 7.3. Specific end use(s)

gear oil

## **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

### **DNEL/DMEL** values

CAS No	Substance		-	-	
DNEL type		Exposure route Effect Value			
64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic; Based	oil - unspecified		-	
Worker DNEL,	long-term	inhalation	systemic	2,73 mg/m³	
Worker DNEL,	long-term	inhalation	local	5,58 mg/m³	
Worker DNEL,	long-term	dermal	systemic	0,97 mg/kg bw/day	
Consumer DN	EL, long-term	inhalation	local	1,19 mg/m³	
Consumer DN	EL, long-term	oral	systemic	0,74 mg/kg bw/day	

## **PNEC** values

CAS No	Substance			
Environmental	compartment	Value		
64742-54-7	2-54-7 Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified			
Secondary poisoning 9,33 mg/kg				

### Additional advice on limit values

To date, no national critical limit values exist.

### 8.2. Exposure controls





## **ALPINE ATF Dexron II D**

Revision date: 19.10.2023





### Protective and hygiene measures

Take off contaminated clothing and wash it before reuse. Wash hands before breaks and after work. When using do not eat, drink, smoke, sniff.

### Eye/face protection

During filling, metering, mixing and sampling must be used: Wear eye/face protection. EN 166

### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and guantity of hazardous substances.

Recommended glove articles: EN ISO 374

Suitable material: NBR (Nitrile rubber)

Thickness of the glove material: 0,4 mm

Breakthrough times and swelling properties of the material must be taken into consideration. Breakthrough time: > 8h

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

### Skin protection

Wear suitable protective clothing.

## **Respiratory protection**

Usually no personal respirative protection necessary. In case of inadequate ventilation wear respiratory protection.

### **SECTION 9: Physical and chemical properties**

### 9.

0.1. Information on basic physical and cher	nical properties		
Physical state: Colour:	Liquid red		
Odour:	characteristic		
Odour threshold:	not determined		
			Test method
pH-Value:		not determined	
Changes in the physical state			
Melting point/freezing point:		not determined	
Boiling point or initial boiling point and boiling range:		not determined	
Pour point:		-51 °C	ISO 3016
Flash point:		218 °C	DIN ISO 2592
Flammability			
Solid/liquid:		not applicable not applicable	

Page 5 of 10





ALPINE ATF Dexron II D		
		Page 6 of 10
on of explosive air/vapour mixtures are possible.		
6,5 vol. %		
not applicable not applicable		
not determined		
not determined		
0,848 g/cm³	DIN 51757	
The study does not need to be conducted because the substance is known to be insoluble in water.		
not determined		
37 mm²/s	DIN 51562	
not determined		
not determined		
not determined		
	not applicable not applicable not determined 0,848 g/cm³ The study does not need to be conducted because the substance is known to be insoluble in water. not determined 37 mm²/s not determined not determined	0,6 vol. % 6,5 vol. % not applicable not applicable not determined 0,848 g/cm³ DIN 51757 The study does not need to be conducted because the substance is known to be insoluble in water. Not determined 37 mm²/s DIN 51562 not determined not determined

# SECTION 10: Stability and reactivity

## 10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

## 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

## 10.3. Possibility of hazardous reactions

The formation of combustible vapours is possible at temperatures above: Flash point Reaction with: Oxidising agent, strong

## 10.4. Conditions to avoid

Avoid: Thermal decomposition

## 10.5. Incompatible materials

- Materials to avoid:
  - Oxidising agent, strong

## 10.6. Hazardous decomposition products

- Hazardous combustion products:
  - Nitrogen oxides (NOx)
  - Carbon monoxide (CO)
  - Carbon dioxide (CO2).





Page 7 of 10

## **Safety Data Sheet**

## **ALPINE ATF Dexron II D**

Revision date: 19.10.2023

- Pyrolysis products, toxic

### **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in GB CLP Regulation

### Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name							
	Exposure route	Dose		Species	Source	Method		
64742-54-7	Distillates (petroleum), hy	drotreated hea	avy paraffir	nic; Baseoil - unspecified				
		LD50 > mg/kg	> 5000	Rat	Study report (1982)	OECD Guideline 401		
		LD50 > mg/kg	> 5000	Rabbit	Study report (1982)	OECD Guideline 402		
	inhalation (4 h) dust/mist	LC50 t	5,53 mg/l	Rat		OECD Guideline 403		

### Irritation and corrosivity

Based on available data, the classification criteria are not met.

#### Sensitising effects

Based on available data, the classification criteria are not met.

### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met. The product contains less than 3% DMSO extract (method IP346). A classification as a carcinogen with R45 is deleted. (Note L)

### STOT-single exposure

Based on available data, the classification criteria are not met.

### STOT-repeated exposure

Based on available data, the classification criteria are not met.

### Aspiration hazard

Based on available data, the classification criteria are not met.

## 11.2. Information on other hazards

### Endocrine disrupting properties

See section: 12.6

### **SECTION 12: Ecological information**

#### 12.1. Toxicity

The product spreads out on the surface of the water. A small fraction of the constituents will be dissolved. It prevents the solution of oxygen and can cause the death of water organismn.





## **ALPINE ATF Dexron II D**

Revision date: 19.10.2023

Page 8 of 10

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified						
	Acute fish toxicity	LL50 mg/l	> 100	96 h	Pimephales promelas	Study report (1995)	OECD Guideline 203
	Fish toxicity	NOEC mg/l	>= 1000	14 d	, , ,	Brussels, Belgium	The aquatic toxicity was estimated by a

### 12.2. Persistence and degradability

Not readily biodegradable (according to OECD criteria)

### 12.3. Bioaccumulative potential

Based on the n-octanol/water partition coefficient significant accumulation in organisms is not expected.

### 12.4. Mobility in soil

The product has not been tested.

### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

### 12.7. Other adverse effects

No information available.

## **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

### **Disposal recommendations**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

### Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

### **SECTION 14: Transport information**

### Land transport (ADR/RID)

#### 14.1. UN number:

14.2. UN proper shipping name:14.3. Transport hazard class(es):14.4. Packing group:Inland waterways transport (ADN)

### niand waterways transport (AD

14.1. UN number:

14.2. UN proper shipping name:

14.3. Transport hazard class(es):

## 14.4. Packing group:

Marine transport (IMDG)

No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.





Revision date: 19.10.2023	ALPINE ATF Dexron II D	Dogo 0 of 10
Revision date. 19.10.2023		Page 9 of 10
<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.	
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.	
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.	
14.4. Packing group:	No dangerous good in sense of this transport regulation.	
Air transport (ICAO-TI/IATA-DGR)		
<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.	
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.	
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.	
14.4. Packing group:	No dangerous good in sense of this transport regulation.	
14.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS:	No	
14.6. Special precautions for user		
No dangerous good in sense of this tr	ansport regulation.	
14.7. Maritime transport in bulk according	to IMO instruments	
No dangerous good in sense of this tr	ansport regulation.	
SECTION 15: Regulatory information		
15.1. Safety, health and environmental reg	ulations/legislation specific for the substance or mixture	
EU regulatory information		
Information according to 2012/18/EU (SEVESO III):	Not subject to 2012/18/EU (SEVESO III)	
National regulatory information		
Water hazard class (D):	2 - obviously hazardous to water	
15.2. Chemical safety assessment		
Chemical safety assessments for sub	stances in this mixture were not carried out.	
SECTION 16: Other information		
Changes		
-	n the previous version in section(s): 1,2,4,5,6,7,8,9,10,11,12,15.	
Abbreviations and acronyms	() ) ) ) ) ) ) ) )	
	rt des marchandises dangereuses par Route	
(European Agreement concerning the	International Carriage of Dangerous Goods by Road)	
IMDG: International Maritime Code fo	•	
IATA: International Air Transport Asso		
	Classification and Labelling of Chemicals ing Commercial Chemical Substances	
ELINCS: European List of Notified Ch		
CAS: Chemical Abstracts Service		
LC50: Lethal concentration, 50%		
LD50: Lethal dose, 50%	kaging	
CLP: Classification, labelling and Pac REACH: Registration, Evaluation and		
	Classification, Labelling and Packaging of Chemicals	
LIN: United Nationa		



Revision date: 19.10.2023



## Safety Data Sheet

## **ALPINE ATF Dexron II D**

Page 10 of 10

DNEL: Derived No Effect Level DMEL: Derived Minimal Effect Level PNEC: Predicted No Effect Concentration ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50% EC50: Effective Concentration 50% ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration BCF: Bio-concentration factor PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative RID: Regulations concerning the international carriage of dangerous goods by rail ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures) EmS: Emergency Schedules MFAG: Medical First Aid Guide ICAO: International Civil Aviation Organization MARPOL: International Convention for the Prevention of Marine Pollution from Ships IBC: Intermediate Bulk Container SVHC: Substance of Very High Concern For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

## Relevant H and EUH statements (number and full text)

H304 May be fatal if swallowed and enters airways.H319 Causes serious eye irritation.

### **Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)