



according to Regulation (EC) No 1907/2006

Alpine Longlife 5W30

Print date: 14.04.2016 Product code: MIT0020 Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Alpine Longlife 5W30

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.3. Details of the supplier of the safety data sheet

Company name: Mitan Mineralöl GmbH Street: Industriestraße 8 Place: D-49577 Ankum

Telephone: +49 (0)5462/7470-50 Telefax: +49 (0)5462/7470-33

e-mail: info@mitan-oil.de

e-mail (Contact person): sicherheitsdatenblatt@mitan-oil.de

Internet: www.mitan-oil.de

1.4. Emergency telephone Giftinformationszentrum Nord (Göttingen)

number: +49 (0)551/19240

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Hazardous to the aquatic environment: Aquatic Chronic 3

Hazard Statements:

Harmful to aquatic life with long lasting effects.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

Phosphorodithionic acid, mixed O,O-bis (1,3-dimethylbutyl and iso-Pr)esters, zins salts

Hazard statements

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P501 Dispose of contents/container to Dispose of waste according to applicable legislation..

P273 Avoid release to the environment.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures



according to Regulation (EC) No 1907/2006

Alpine Longlife 5W30

Print date: 14.04.2016 Product code: MIT0020 Page 2 of 11

Hazardous components

CAS No	Chemical name	Quantity		
	EC No	Index No	REACH No	
	Classification according to Regulat	ion (EC) No. 1272/2008 [CLP]		
72623-87-1	Baseoil - unspecified, Lubricating of	ils (petroleum), C20-50, hydrotre	ated neutral oil-based	35 - < 40 %
	276-738-4	649-483-00-5	01-2119474889-13	
	Asp. Tox. 1; H304	•	•	
	Mineral oil*			1 - < 5 %
	Asp. Tox. 1; H304			
36878-20-3	Alkaryl amine			1 - < 5 %
	253-249-4		01-2119488911-28	
	Aquatic Chronic 4; H413			
84605-29-8	Phosphorodithionic acid, mixed O,	1 - < 5 %		
	283-392-8		01-2119493626-26	
	Skin Irrit. 2, Eye Dam. 1, Aquatic C			
122-39-4	diphenylamine	< 1 %		
	204-539-4	612-026-00-5		
	Acute Tox. 3, Acute Tox. 3, Acute T H311 H301 H373 ** H400 H410			
128-39-2	2,6-di-tert-butylphenol			< 1 %
	204-884-0		01-2119490822-33	
	Skin Irrit. 2, Aquatic Acute 1 (M-Fac	ctor = 1), Aquatic Chronic 1; H315	5 H400 H410	
121158-58-5	Phenol, dodecyl-, branched			< 1 %
	310-154-3		01-2119513207-49	
	Repr. 2, Skin Irrit. 2, Eye Irrit. 2, Aq H319 H400 H410	uatic Acute 1 (M-Factor = 1), Aqu	uatic Chronic 1; H361 H315	

Full text of H and EUH statements: see section 16.

Further Information

* The mineral oils contained can be described by one or more of the following numbers: EC-no.: 265-157-1, 265-169-7, 265-158-7, 265-159-2 REACH-no.: 01-2119484627-25, 01-2119471299-27, 01-2119487077-29, 01-2119480132-48 Note L: The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346 'Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions — Dimethyl sulphoxide extraction refractive index method', Institute of Petroleum, London. This note applies only to certain complex oil-derived substances in Part 3.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After inhalation

In case of accident by inhalation: remove casualty to fresh air and keep at rest. In all cases of doubt, or when symptoms persist, seek medical advice.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Remove contaminated, saturated



Mitan Mineralöl GmbH

according to Regulation (EC) No 1907/2006

Alpine Longlife 5W30

Print date: 14.04.2016 Product code: MIT0020 Page 3 of 11

clothing immediately.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

After ingestion

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. When in doubt or if symptoms are observed, get medical advice.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings. Sand Foam Extinguishing powder In case of major fire and large quantities: Water mist Water spray jet

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

Burning produces heavy smoke. In case of fire may be liberated: Carbon monoxide. Carbon dioxide (CO2). Sulphur dioxide (SO2) Nitrogen oxides (NOx) Phosphorus oxides

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment. Special danger of slipping by leaking/spilling product.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Do not allow to enter into soil/subsoil.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.



according to Regulation (EC) No 1907/2006

Alpine Longlife 5W30

Print date: 14.04.2016 Product code: MIT0020 Page 4 of 11

Advice on protection against fire and explosion

No special fire protection measures are necessary. Fire class B

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations.

Advice on storage compatibility

No special measures are necessary.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
122-39-4	Diphenylamine	-	10		TWA (8 h)	WEL
		-	20		STEL (15 min)	WEL

DNEL/DMEL values

CAS No	Substance				
DNEL type	DNEL type		Effect	Value	
36878-20-3	Exposure route Effect Value Alkaryl amine				
Worker DNEL,	long-term	dermal	systemic	0,62 mg/kg bw/day	
Worker DNEL,	long-term	inhalation	systemic	4,37 mg/m³	
Consumer DNE	EL, long-term	dermal	systemic	0,31 mg/kg bw/day	
Consumer DNE	EL, long-term	inhalation	systemic	1,09 mg/m³	
Consumer DNE	EL, long-term	oral	systemic	0,31 mg/kg bw/day	
84605-29-8	Phosphorodithionic acid, mixed O,O-bis (1,3-dimethylbutyl	and iso-Pr)esters, zins	salts		
Worker DNEL,	long-term	inhalation	systemic	8,31 mg/m³	
Worker DNEL, long-term		dermal	systemic	12,1 mg/kg bw/day	
Consumer DNE	EL, long-term	inhalation	systemic	2,11 mg/m³	
Consumer DNE	EL, long-term	dermal	systemic	6,1 mg/kg bw/day	
Consumer DNE	EL, long-term	oral	systemic	0,24 mg/kg bw/day	
128-39-2 2,6-di-tert-butylphenol					
Worker DNEL, long-term		dermal	systemic	2,77 mg/kg bw/day	
Worker DNEL, long-term		inhalation	systemic	19,6 mg/m³	
Consumer DNEL, long-term		oral	systemic	1,67 mg/kg bw/day	
Consumer DNE	EL, long-term	inhalation	systemic	5,8 mg/m³	



according to Regulation (EC) No 1907/2006

Alpine Longlife 5W30

Print date: 14.04.2016 Product code: MIT0020 Page 5 of 11

PNEC values

CAS No	Substance		
Environmental compartment Value			
36878-20-3 Alkaryl amine			
Soil		263000 mg/kg	
84605-29-8	Phosphorodithionic acid, mixed O,O-bis (1,3-dimethylbutyl and iso-Pr)esters, zins salts		
Soil		0,0548 mg/kg	
128-39-2	2,6-di-tert-butylphenol		
Soil		0,0389 mg/kg	

8.2. Exposure controls





Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

Eye/face protection

Suitable eye protection: goggles.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Wear suitable protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection. A2, A2/P2, ABEK

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid Colour: clear

Odour: characteristic

Test method

pH-Value: not determined

Changes in the physical state

Melting point: not determined Initial boiling point and boiling range: not determined

Pour point: -42 °C ISO 3016
Flash point: 228 °C DIN ISO 2592



according to Regulation (EC) No 1907/2006

Alpine Longlife 5W30

Print date: 14.04.2016 Product code: MIT0020 Page 6 of 11

Flammability

Solid: not applicable
Gas: not applicable

Lower explosion limits:

Upper explosion limits:

not determined

not determined

Auto-ignition temperature

Solid: not applicable
Gas: not applicable

Decomposition temperature: not determined

Oxidizing properties

Not oxidizing.

Vapour pressure: <0,1 hPa berechnet

(at 20 °C)

Density (at 15 °C): 0,858 g/cm³ DIN 51757

Water solubility: insoluble

Solubility in other solvents

not determined

Partition coefficient: not determined

Viscosity / kinematic: 69,5 mm²/s DIN 51562

(at 40 °C)

Vapour density: not determined Evaporation rate: not determined

9.2. Other information

Solid content: not determined

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

none

10.5. Incompatible materials

Oxidising agent, strong

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.



according to Regulation (EC) No 1907/2006

Alpine Longlife 5W30

Print date: 14.04.2016 Product code: MIT0020 Page 7 of 11

CAS No	Chemical name						
	Exposure routes	Method	Dose	Species	Source		
72623-87-1	Baseoil - unspecified, Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based						
	oral	LD50	>5000 mg/kg	Rat	OECD 401		
	dermal	LD50	>2000 mg/kg	Rabbit	OECD 402		
	inhalative (4 h) vapour	LC50	>5,53 mg/l	Rat	OECD 403		
36878-20-3	Alkaryl amine						
	oral	LD50	>5000 mg/kg	Rat	OECD 401		
	dermal	LD50	>2000 mg/kg	Rat	OECD 402		
84605-29-8	Phosphorodithionic acid, mixed O,O-bis (1,3-dimethylbutyl and iso-Pr)esters, zins salts						
	oral	LD50	3100 mg/kg	Rat	OECD 401		
	dermal	LD50	>2000 mg/kg	Rat	OECD 402		
122-39-4	diphenylamine						
	oral	ATE	100 mg/kg				
	dermal	ATE	300 mg/kg				
	inhalative vapour	ATE	3 mg/l				
	inhalative aerosol	ATE	0,5 mg/l				
128-39-2	2,6-di-tert-butylphenol						
	oral	LD50	>5000 mg/kg	Rat			
	dermal	LD50	>2000 mg/kg	Rabbit			
121158-58-5	Phenol, dodecyl-, branched						
	oral	LD50	2100 mg/kg	Rat	OECD 401		
	dermal	LD50	15000 mg/kg	Rat	OECD 402		

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

Severe effects after repeated or prolonged exposure

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Additional information on tests

This mixture is classified as hazardous according to regulation (EC) No. 1272/2008 [CLP].

SECTION 12: Ecological information

12.1. Toxicity

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.



according to Regulation (EC) No 1907/2006

Alpine Longlife 5W30

Print date: 14.04.2016 Product code: MIT0020 Page 8 of 11

CAS No	Chemical name					
	Aquatic toxicity	Method	Dose	[h] [d]	Species	Source
36878-20-3	Alkaryl amine					
	Acute fish toxicity	LC50	>100 mg/l	96 h	Brachydanio rerio (zebra-fish)	OECD 203
	Acute algae toxicity	ErC50	>100 mg/l	72 h	Desmodesmus subspicatus.	OECD 201
	Acute crustacea toxicity	EC50	>100 mg/l		Daphnia magna (Big water flea)	OECD 202
84605-29-8	Phosphorodithionic acid, mixed	O,O-bis (1,	3-dimethylbutyl a	nd iso-Pr)	esters, zins salts	
	Acute fish toxicity	LC50	4,5 mg/l	96 h	Oncorhynchus mykiss (Rainbow trout)	
	Acute algae toxicity	ErC50	24 mg/l		Desmodesmus subspicatus.	OECD 201
128-39-2	2,6-di-tert-butylphenol					
	Acute fish toxicity	LC50	1 mg/l	96 h		
	Acute algae toxicity	ErC50	1,2 mg/l	72 h		
	Acute crustacea toxicity	EC50	0,45 mg/l		Daphnia magna (Big water flea)	
	Fish toxicity	NOEC	0,3 mg/l	28 d		
121158-58-5	Phenol, dodecyl-, branched					
	Acute fish toxicity	LC50	40 mg/l	96 h	Pimephales promelas (fathead minnow)	
	Acute algae toxicity	ErC50	0,36 mg/l	72 h	Desmodesmus subspicatus.	
	Crustacea toxicity	NOEC	0,0037 mg/l		Daphnia magna (Big water flea)	OECD 211

12.2. Persistence and degradability

The product has not been tested.

CAS No	Chemical name				
	Method Value d Source				
	Evaluation				
84605-29-8	Phosphorodithionic acid, mixed O,O-bis (1,3-dimethylbutyl and iso-Pr)esters, zins salts				
	OECD 301B/ ISO 9439/ EEC 92/69/V, C.4-C 1,5% 28				
	Not readily biodegradable (according to OECD criteria) Not readily biodegradable (according to OECD criteria)				
121158-58-5	Phenol, dodecyl-, branched				
	OECD 301B/ ISO 9439/ EEC 92/69/V, C.4-C	25%	28		
	Not readily biodegradable (according to OECD criteria)				

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
72623-87-1	Baseoil - unspecified, Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based	>6
36878-20-3	Alkaryl amine	>7,6
84605-29-8	Phosphorodithionic acid, mixed O,O-bis (1,3-dimethylbutyl and iso-Pr)esters, zins salts	0,56
128-39-2	2,6-di-tert-butylphenol	4,48

12.4. Mobility in soil

The product has not been tested.



according to Regulation (EC) No 1907/2006

Alpine Longlife 5W30

Print date: 14.04.2016 Product code: MIT0020 Page 9 of 11

12.5. Results of PBT and vPvB assessment

The product has not been tested.

12.6. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

Waste disposal number of contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND

PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by

hazardous substances

Classified as hazardous waste.

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1. UN number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Air transport (ICAO)

14.1. UN number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no





according to Regulation (EC) No 1907/2006

Alpine Longlife 5W30

Print date: 14.04.2016 Product code: MIT0020 Page 10 of 11

14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

No dangerous good in sense of this transport regulation.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Additional information

To follow: 850/2004/EC, 1107/2009/EC, 649/2012/EC.

National regulatory information

Employment restrictions: Observe restrictions to employment for juvenils according to the 'juvenile

work protection guideline' (94/33/EC).

Water contaminating class (D): 2 - water contaminating

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

Toxic if ewallowed

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

⊔2∩1

Relevant H and EUH statements (number and full text)

H301	TOXIC II SWallowed.
H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H361	Suspected of damaging fertility or the unborn child.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

Harmful to aquatic life with long lasting effects.

May cause long lasting harmful effects to aquatic life.

Further Information

H412

H413

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.





according to Regulation (EC) No 1907/2006

Alpine Longlife 5W30

Print date: 14.04.2016 Product code: MIT0020 Page 11 of 11

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)