



Alpine ZHF synth. Zentral-Hydraulik-Fluid

Revision date: 07.06.2021	Product code: MIT0032		Page 1 of 11
SECTION 1: Identification of the s	substance/mixture and of the company/ur	Idertaking	
1.1. Product identifier Alpine ZHF synth. Zentral-Hy			
1.2. Relevant identified uses of the s	ubstance or mixture and uses advised agains	<u>t</u>	
hydraulic oil			
Uses advised against No information available.			
1.3. Details of the supplier of the safe	ety data sheet		
Company name:	Mitan Mineralöl GmbH		
Street: Place:	Industriestraße 8 D-49577 Ankum		
Telephone:	+49 (0)5462/7470-50	Telefax:+49 (0)5462/7470-33	
e-mail:	info@mitan-oil.de		
Internet:	www.mitan-oil.de		
Responsible Department:	Produktsicherheit / Product Safety sicherheitsdatenblatt@mitan-oil.de		
<u>1.4. Emergency telephone</u> number:	Giftinformationszentrum Nord (Göttingen) +49 (0)551/19240		

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories: Aspiration hazard: Asp. Tox. 1 Serious eye damage/eye irritation: Eye Irrit. 2 Hazard Statements: May be fatal if swallowed and enters airways. Causes serious eye irritation.

Danger

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil - unspecified Dec-1-ene, Dimers, hydrogenated

Signal word:

Pictograms:



Hazard statements

H332	
H319	(
H304	I

Harmful if inhaled. Causes serious eye irritation. May be fatal if swallowed and enters airways.





Alpine ZHF synth. Zentral-Hydraulik-Fluid						
Revision date: 07.06.2021	Product code: MIT0032	Page 2 of 11				
Precautionary statemer	nts					
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.					
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor.					
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.					
P305+P351+P338						
P312	Call Poison center / doctor if you feel unwell.					
P331	Do NOT induce vomiting.					
P405	Store locked up.					
P501	Dispose of contents / container in accordance with official regulations.					
2.3. Other hazards						

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization Mineral oil, Additive

Hazardous components

CAS No	Chemical name				
	EC No	Index No	REACH No		
	GHS Classification				
72623-86-0	Lubricating oils (petroleum), C15-30	seoil - unspecified	39 - < 65,18 %		
	276-737-9	649-482-00-X	01-2119474878-16		
	Asp. Tox. 1; H304				
68649-11-6	Dec-1-ene, Dimers, hydrogenated		16 - < 28,33 %		
	500-228-5		01-2119493069-28		
	Acute Tox. 4, Asp. Tox. 1; H332 H3	04			
63150-03-8	Methacrylic Copolymer			6 - < 11,47 %	
	613-160-7				
	Eye Irrit. 2; H319	•			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity		
	Specific Conc.	Limits, M-factors and ATE			
72623-86-0	276-737-9	Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil - unspecified	39 - < 65,18 %		
	dermal: LD50 =	dermal: LD50 = > 5000 mg/kg; oral: LD50 = > 5000 mg/kg			
68649-11-6	500-228-5	Dec-1-ene, Dimers, hydrogenated	16 - < 28,33 %		
	inhalation: ATE = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 5000 mg/kg				

Further Information

This mixture contains no substances of very high concern (SVHC) which are included in the Candidate List according to Article 59 of REACH.





Alpine ZHF synth. Zentral-Hydraulik-Fluid

Revision date: 07.06.2021

Product code: MIT0032

Page 3 of 11

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove affected person from the danger area and lay down.

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After inhalation

Provide fresh air. Call a doctor if you feel unwell.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off contaminated clothing and wash it before reuse. In case of skin irritation, consult a physician.

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

After ingestion

Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Do NOT induce vomiting. In all cases of doubt, or when symptoms persist, seek medical advice.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Use water spray jet to protect personnel and to cool endangered containers.

Co-ordinate fire-fighting measures to the fire surroundings.

- Water spray jet
- Foam
- Carbon dioxide (CO2).
- Extinguishing powder

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- In case of fire may be liberated:
 - Nitrogen oxides (NOx)
 - Carbon monoxide (CO)
 - Carbon dioxide (CO2).
 - Pyrolysis products, toxic

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Use of protective clothing In case of fire and/or explosion do not breathe fumes.





Alpine ZHF synth. Zentral-Hydraulik-Fluid

Revision date: 07.06.2021

Product code: MIT0032

Page 4 of 11

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures

Keep people at a distance and stay on the windward side.

Special danger of slipping by leaking/spilling product.

For non-emergency personnel

Wear protective gloves/protective clothing and eye/face protection.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Prevent spread over a wide area (e.g. by containment or oil barriers).

6.3. Methods and material for containment and cleaning up

For containment

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

For cleaning up

Clean contaminated articles and floor according to the environmental legislation. Remove from the water surface (e.g. skimming, sucking).

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid formation of oil dust. Use personal protection equipment. Do not put any product-impregnated cleaning rags into your trouser pockets. Clear spills immediately.

Advice on protection against fire and explosion

No special fire protection measures are necessary. Take precautionary measures against static discharges. Keep away from sources of ignition - No smoking.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep only in the original container in a cool, well-ventilated place. Keep container tightly closed. Floors should be impervious, resistant to liquids and easy to clean.

Hints on joint storage

Do not store together with:

- Materials capable of ignition under almost all normal temperature conditions

- Explosives





Alpine ZHF synth. Zentral-Hydraulik-Fluid

Revision date: 07.06.2021

Product code: MIT0032

Page 5 of 11

- Radioactive substances

- Infectious substances

Further information on storage conditions

Note Regulation on facilities for the storage, filling and handling water-polluting substances. ..

7.3. Specific end use(s)

hydraulic oil

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

DNEL/DMEL values

CAS No	Substance						
DNEL type		Exposure route	Effect	Value			
72623-86-0	Lubricating oils (petroleum), C15-30, hydrotreated neutral of	oil-based; Baseoil - unsp	pecified				
Worker DNEL	, long-term	inhalation	systemic	2,73 mg/m³			
Worker DNEL	, long-term	inhalation	local	5,58 mg/m³			
Worker DNEL	, long-term	dermal	systemic	0,97 mg/kg bw/day			
Consumer DN	EL, long-term	inhalation	local	1,19 mg/m³			
Consumer DN	EL, long-term	oral	systemic	0,74 mg/kg bw/day			
68649-11-6	6 Dec-1-ene, Dimers, hydrogenated						
Worker DNEL	, acute	inhalation	systemic	60 mg/m³			
Consumer DNEL, acute inhalation systemic 50 mg/m							
PNEC values							

PNEC values

CAS No	Substance				
Environmental compartment Value					
72623-86-0 Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil - unspecified					
Secondary poisoning 9,33 mg/kg					

Additional advice on limit values

To date, no national critical limit values exist.

8.2. Exposure controls





Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations.

Protective and hygiene measures

Take off contaminated clothing and wash it before reuse.

Wash hands before breaks and after work.

When using do not eat, drink, smoke, sniff.





Revision date: 07.06.2021

Product code: MIT0032

Page 6 of 11

Eye/face protection

During filling, metering, mixing and sampling must be used: Wear eye/face protection. DIN EN 166

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

Recommended glove articles: EN ISO 374

Suitable material: NBR (Nitrile rubber)

Thickness of the glove material: 0,4 mm

Breakthrough times and swelling properties of the material must be taken into consideration. Breakthrough time: > 8h

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Wear suitable protective clothing. DIN EN 14605

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	Liquid	
Colour:	green	
Odour:	characteristic	
Odour threshold:	not determined	
pH-Value:		not determined
Changes in the physical state		
Melting point:		not determined
Boiling point or initial boiling point and boiling range:		not determined
Pour point:		not determined
Flash point:		166 °C
Flammability		
Solid/liquid:		not applicable
Gas:		not applicable
Explosive properties Product is not explosive. However, fo	rmation of explosive ai	ir/vapour mixtures are possible.
Lower explosion limits:	·	not determined
Upper explosion limits:		not determined
Self-ignition temperature		
Solid:		not applicable
Gas:		not applicable
Decomposition temperature:		not determined
Oxidizing properties		
The product is not: oxidising.		





Alpine ZHF synth. Zentral-Hydraulik-Fluid						
Revision date: 07.06.2021	Product code: MIT0032	Page 7 of 11				
Vapour pressure:	not determined					
Density (at 15 °C):	0,833 g/cm³					
Water solubility:	not determined					
Solubility in other solvents not determined						
Partition coefficient n-octanol/water:	not determined					
Viscosity / kinematic: (at 40 °C)	20 mm²/s					
Relative vapour density:	not determined					
Evaporation rate:	not determined					
9.2. Other information						
Solid content:	not determined					
SECTION 10: Stability and reactivity						

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

The formation of combustible vapours is possible at temperatures above: Flash point Reaction with: Oxidizing agent

10.4. Conditions to avoid

Avoid: Thermal decomposition

10.5. Incompatible materials

Materials to avoid:

- Acids
- Reducing agent
- Oxidising agent

10.6. Hazardous decomposition products

- Hazardous combustion products:
 - Carbon monoxide (CO)
 - Carbon dioxide (CO2)
 - Nitrogen oxides (NOx)

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.





Alpine ZHF synth. Zentral-Hydraulik-Fluid

Revision date: 07.06.2021

Product code: MIT0032

Page 8 of 11

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
72623-86-0	Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil - unspecified					
	oral	LD50 mg/kg	> 5000	Rat	Study report (1982)	OECD Guideline 401
	dermal	LD50 mg/kg	> 5000	Rabbit	Study report (1982)	OECD Guideline 402
68649-11-6	Dec-1-ene, Dimers, hydr	ogenated				
	oral	LD50 mg/kg	> 5000	Rat	Study report (1988)	OECD Guideline 423
	dermal	LD50 mg/kg	> 2000	Rat	Study report (1989)	OECD Guideline 402
	inhalation vapour	ATE	11 mg/l			
	inhalation aerosol	ATE	1,5 mg/l			

Irritation and corrosivity

Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met. The product contains less than 3% DMSO extract (method IP346). A classification as a carcinogen with R45 is deleted. (Note L)

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

May be fatal if swallowed and enters airways.

Additional information on tests

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP]. Special hazards arising from the substance or mixture!

11.2. Information on other hazards

Endocrine disrupting properties

No information available.

SECTION 12: Ecological information

12.1. Toxicity

The product is not: Ecotoxic.





Alpine ZHF synth. Zentral-Hydraulik-Fluid

Revision date: 07.06.2021

Product code: MIT0032

Page 9 of 11

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
72623-86-0	Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil - unspecified						
	Acute fish toxicity	LL50 mg/l	> 100	96 h	Pimephales promelas		OECD Guideline 203
	Fish toxicity	NOEC mg/l	>= 1000	14 d	, ,	Brussels, Belgium	The aquatic toxicity was estimated by a

12.2. Persistence and degradability

Partition coefficient n-octanol/water

The product has not been tested.

12.3. Bioaccumulative potential

The product has not been tested.

CAS No	Chemical name	Log Pow			
68649-11-6	Dec-1-ene, Dimers, hydrogenated	> 6,5			

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The product has not been tested.

12.6. Endocrine disrupting properties No information available.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.
Inland waterways transport (ADN)	
<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.





Revision date: 07.06.2021	Product code: MIT0032 Page 10
14.4. Packing group:	No dangerous good in sense of this transport regulation.
Marine transport (IMDG)	
<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.
Air transport (ICAO-TI/IATA-DGR)	
<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.
14.5. Environmental hazards	
ENVIRONMENTALLY HAZARDOUS:	Νο
4.6. Special precautions for user	
No dangerous good in sense of this tra	ansport regulation.
4.7. Maritime transport in bulk according t	o IMO instruments
No dangerous good in sense of this tra	ansport regulation.
SECTION 15: Regulatory information	
SECTION 15. Regulatory information	
15.1. Safety, health and environmental regu	lations/legislation specific for the substance or mixture
15.1. Safety, health and environmental regu EU regulatory information	lations/legislation specific for the substance or mixture
EU regulatory information	
EU regulatory information Restrictions on use (REACH, annex XVII): Entry 3, Entry 28 2004/42/EC (VOC):	28,33 % (235,989 g/l)
EU regulatory information Restrictions on use (REACH, annex XVII): Entry 3, Entry 28 2004/42/EC (VOC): Information according to 2012/18/EU	
EU regulatory information Restrictions on use (REACH, annex XVII): Entry 3, Entry 28 2004/42/EC (VOC): Information according to 2012/18/EU (SEVESO III):	28,33 % (235,989 g/l)
EU regulatory information Restrictions on use (REACH, annex XVII): Entry 3, Entry 28 2004/42/EC (VOC): Information according to 2012/18/EU (SEVESO III): Additional information	28,33 % (235,989 g/l) Not subject to 2012/18/EU (SEVESO III)
EU regulatory information Restrictions on use (REACH, annex XVII): Entry 3, Entry 28 2004/42/EC (VOC): Information according to 2012/18/EU (SEVESO III): Additional information To follow: 850/2004/EC, 1107/2009/EC	28,33 % (235,989 g/l) Not subject to 2012/18/EU (SEVESO III)
EU regulatory information Restrictions on use (REACH, annex XVII): Entry 3, Entry 28 2004/42/EC (VOC): Information according to 2012/18/EU (SEVESO III): Additional information To follow: 850/2004/EC, 1107/2009/EC National regulatory information	28,33 % (235,989 g/l) Not subject to 2012/18/EU (SEVESO III)
EU regulatory information Restrictions on use (REACH, annex XVII): Entry 3, Entry 28 2004/42/EC (VOC): Information according to 2012/18/EU (SEVESO III): Additional information To follow: 850/2004/EC, 1107/2009/EC	28,33 % (235,989 g/l) Not subject to 2012/18/EU (SEVESO III) C, 649/2012/EC Observe restrictions to employment for juveniles according to the 'juvenile
EU regulatory information Restrictions on use (REACH, annex XVII): Entry 3, Entry 28 2004/42/EC (VOC): Information according to 2012/18/EU (SEVESO III): Additional information To follow: 850/2004/EC, 1107/2009/EC National regulatory information Employment restrictions:	28,33 % (235,989 g/l) Not subject to 2012/18/EU (SEVESO III) C, 649/2012/EC Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).
EU regulatory information Restrictions on use (REACH, annex XVII): Entry 3, Entry 28 2004/42/EC (VOC): Information according to 2012/18/EU (SEVESO III): Additional information To follow: 850/2004/EC, 1107/2009/EC National regulatory information Employment restrictions: Water hazard class (D):	28,33 % (235,989 g/l) Not subject to 2012/18/EU (SEVESO III) C, 649/2012/EC Observe restrictions to employment for juveniles according to the 'juvenile
EU regulatory information Restrictions on use (REACH, annex XVII): Entry 3, Entry 28 2004/42/EC (VOC): Information according to 2012/18/EU (SEVESO III): Additional information To follow: 850/2004/EC, 1107/2009/EC National regulatory information Employment restrictions: Water hazard class (D): 15.2. Chemical safety assessment	28,33 % (235,989 g/l) Not subject to 2012/18/EU (SEVESO III) C, 649/2012/EC Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). 2 - obviously hazardous to water
EU regulatory information Restrictions on use (REACH, annex XVII): Entry 3, Entry 28 2004/42/EC (VOC): Information according to 2012/18/EU (SEVESO III): Additional information To follow: 850/2004/EC, 1107/2009/EC National regulatory information Employment restrictions: Water hazard class (D): 15.2. Chemical safety assessment	28,33 % (235,989 g/l) Not subject to 2012/18/EU (SEVESO III) C, 649/2012/EC Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

This data sheet contains changes from the previous version in section(s): 1,2,3,4,5,6,7,8,9,10,11,12,13,15,16.

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association





Alpine ZHF synth. Zentral-Hydraulik-Fluid					
Revision date: 07.06.2021	Product code: MIT0032	Page 11 of 11			
EINECS: European Inventor ELINCS: European List of N CAS: Chemical Abstracts Se LC50: Lethal concentration, LD50: Lethal dose, 50% CLP: Classification, labelling REACH: Registration, Evalu GHS: Globally Harmonised S UN: United Nations DNEL: Derived No Effect Le DMEL: Derived Minimal Effe PNEC: Predicted No Effect 0 ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50% EC50: Effective Concentration FrC50: Effective Concentration FrC50: Effective Concentration FrC50: Effective Concentration PBT: persistent, bioaccumul vPvB: very persistent, very b RID: Regulations concerning ADN: European Agreement (Accord européen relatif au intérieures) EmS: Emergency Schedules MFAG: Medical First Aid Gui ICAO: International Civil Avia MARPOL: International Cont VOC: Volatile Organic Comp SVHC: Substance of Very H	50% g and Packaging ation and Authorization of Chemicals System of Classification, Labelling and Packaging of Chemicals vel ect Level Concentration on 50% ion 50%, growth rate Concentration or ative, toxic bioaccumulative g the international carriage of dangerous goods by rail concerning the International Carriage of Dangerous Goods by Inland Waterways transport international des marchandises dangereuses par voies de navigation s ide ation Organization vention for the Prevention of Marine Pollution from Ships ainer bounds				
Classification for mixtures and u	sed evaluation method according to Regulation (EC) No. 1272/2008 [CLP]				
Classification	Classification procedure				
Asp. Tox. 1; H304	Calculation method				
Eye Irrit. 2; H319	Calculation method				
Relevant H and EUH statement	ts (number and full text)				

Relevant H and EUH statements (number and full text)

H304May be fatal if swallowed and enters airways.H319Causes serious eye irritation.H332Harmful if inhaled.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)